



## JAFFA Custom High-Clarity Acrylic Skylight, Villa Roof Skylight, Indoor Patio Transparent View Window

Our Product Introduction

for more products please visit us on [custom-acrylicproducts.com](http://custom-acrylicproducts.com)

### Basic Information

- Minimum Order Quantity: 5set
- Price: Negotiable
- Packaging Details: Wooden box packaging, cardboard box packaging
- Delivery Time: 7-10 work days
- Payment Terms: L/C,D/P,T/T
- Supply Ability: 500sets/Year



### Product Specification

- Material: PMMA
- Standard Size: Customizable
- Color: Customizable
- Feature: Luminous
- Service: OEM/ODM
- Application: Mall/Restaurant/Office/Home/Exhibition/Guardrail
- Highlight: **plexiglass skylight, plexiglass dome skylight, skylight acrylic dome replacement**

### Description

- **Panoramic Transparent Lighting Design:** Adopts high-transparent acrylic/polycarbonate panel with narrow-edge metal frame to create an unobstructed view, introducing sufficient natural light during the day and allowing starry sky viewing at night, ideal for lighting solutions of villa roofs, indoor patios and attics.
- **Weather-Resistant UV-Resistant Acrylic Material:** Made of imported UV-resistant acrylic or PC polycarbonate with thickness 5–12mm, light transmittance up to 92%, high and low temperature resistant, impact-resistant, anti-yellowing, no cracking or discoloration for long-term use, complying with overseas building safety standards.
- **Modular Sealing Structure:** The skylight is composed of acrylic panel + aluminum alloy/steel frame in sections, customizable to fixed, top-hung, sliding and other opening methods, adapting to different roof and patio scenarios.
- **Professional Waterproof & Heat Insulation System:** The frame is designed with double-layer water chutes and heat insulation strips, and the panels are spliced with EPDM sealing strips to effectively prevent water leakage and heat insulation, avoiding indoor stuffiness or water leakage.
- **Stable Wind-Resistant Structure:** The aluminum alloy/steel frame is thickened, firmly connected to the roof/structural layer through expansion bolts, with wind resistance up to level 12 and excellent seismic performance, complying with overseas building safety codes such as ASTM/EN.
- **Multi-Scene Adaptability:** Can be used in villa roofs, indoor patios, attic lighting, sunroom top windows and other scenarios, combining lighting, viewing and ventilation functions.
- **Eco-Friendly & Safe Craftsmanship:** Adopts laser cutting + bending + electrostatic spraying + sealing assembly, no odor or formaldehyde, acrylic/polycarbonate material complies with EU ROHS environmental standards, flame retardant grade up to B1.

# Sample fee

Prepaid sample fee

The proofing fee will be refunded for bulk orders, and will not be charged if you are not satisfied.



Parameter Item (English)	Parameter Value (Customizable)
Material	Imported High-Clarity Acrylic/PC Polycarbonate + Aluminum Alloy/Steel Frame + EPDM Sealing Strips
Color	Clear/Light Blue/Smoke Gray (Panel); Black/White/Gray (Frame)
Structure	Fixed/Top-Hung/Sliding Type + Modular Sealing Assembly
Standard Size	W60–200cm × L80–300cm (Adjustable)
Thickness	Acrylic/PC Panel 5–12mm + Frame Wall Thickness 1.5–3.0mm
Craftsmanship	Laser Cutting + Bending + Electrostatic Spraying + Sealing Assembly
Weight Per Unit	Approx. 20–80 kg (Depends on Size)
Packaging	Custom Wooden Crate + Foam Cotton + Shockproof Pad (Shockproof)
Installation Method	Expansion Bolt Fixing + Waterproof Sealant Construction
Size Customization	Adjustable W/L, MOQ: 1 Unit

Parameter Item (English)	Parameter Value (Customizable)
Form Customization	Customizable Fixed/Top-Hung/Sliding/Irregular Shape
Material Customization	Customizable Panel Material/Color/Thickness; Frame Material/Color
Function Customization	Customizable Light Transmittance/Heat Insulation/Flame Retardant/Wind Resistance Grade
Safety Customization	Customizable Frame Thickness/Wind Resistance/Fire Rating
Waterproof Customization	Customizable Water Chute/Sealing Strips



## PARTICULARITY

(Customized products, subject to the effect)  
 After cutting, it will affect the secondary sales.  
 If there is no quality problem, we don't support returning goods.  
 Thank you for your cooperation.

**If you need to return the goods, you will be charged 80%,  
 and the return postage will be borne by the buyer himself.**

I wish you a happy shopping!  
 If you have any questions.

Please contact our after-sales customer service.

**We will give a reasonable treatment plan in time ~**

### About delivery

After the customer places an order,  
 the goods will be delivered within 1-3 working days under normal circumstances.  
 If the quantity is large or the process is complex,  
 the production cycle will be extended. If you have requirements for delivery time,  
 you can contact and negotiate.

### About chromatic aberration

The product pictures are all real photos, but due to shooting technology,  
 light, display parameters and other factors.  
 The color of the received object will be different from the photo.  
 Please take the object as the standard.

### About price

Because there are many specifications of raw materials,  
 please contact customer service for quotation for other specifications.  
 (The link price is for the convenience of customers to place an order, not the actual price of the product)



## FAQ

**1. What scenarios is this acrylic skylight suitable for?** Answer: It is suitable for villa roofs, indoor patios, attic lighting, sunroom top windows and other scenarios, which can not only improve indoor lighting but also create a viewing starry sky effect.

- 2. How is the weather resistance of acrylic/polycarbonate panels? Does it meet overseas standards?** Answer: Made of imported UV-resistant material, it is high and low temperature resistant and UV-proof, no yellowing or cracking for long-term use, complying with overseas building safety and environmental standards such as ASTM/EN/CE.
- 3. What is the waterproof and heat insulation effect of the skylight?** Answer: Double-layer water chute + EPDM sealing strip design effectively prevents water leakage; the frame is equipped with heat insulation strips, which can isolate outdoor heat and avoid indoor stuffiness in summer.
- 4. Does it support customizable opening types?** Answer: Yes, it can be customized to fixed, top-hung, sliding and other opening methods to meet ventilation needs.
- 5. Is installation and transportation complicated?** Answer: The modular design can be disassembled for transportation, reducing logistics difficulty; it is installed on-site by a professional team for roof fixing and waterproof sealing construction, with convenient installation and controllable cycle.



## ABOUT US

We are committed to providing customers with high-quality acrylic, plexiglass and resin plate products to meet the needs of various industries. Whether it's commercial display, interior decoration, advertising logo or home design, we can make it according to customer's requirements. We have advanced production equipment and technical team, which can provide a variety of different processing technologies, including cutting, grinding, bending and bonding.

### **Ensure the accuracy and quality of products.**

We also pay attention to innovation and research and development, and constantly introduce new products and designs to meet the needs and trends of the market. In terms of installation, we have an experienced installation team, which can quickly and accurately complete the installation of products to ensure customer satisfaction and use effect. Whether it is a business customer or an individual customer, we are committed to providing you with professional, efficient and high-quality services. No matter what kind of products you need to customize. We can make it according to your needs and requirements.

### **Ensure the quality and effect of products.**



**JAFFA** DESIGN PLASTIC **JAFFA Plastics (Shanghai) Co., Ltd.**

☎ 13661474761

✉ jaffabrandofficial@gmail.com

🌐 custom-acrylicproducts.com

No. 773, Furun Road, Nanhu District, Jiaxing City, Zhejiang Province

